## **COMMON FOODS CONTAINING FODMAPs**

EXCESS FRUCTOSE	LACTOSE	FRUCTANS	GALACTANS	POLYOLS
> Fruits apples, pears, nashi, mangoes, tinned fruit in natural juice, watermelon > Sweeteners fructose, high fructose corn syrup > Large total fructose dose concentrated fruit sources, large serves of fruit, dried fruit, fruit juice > Honey	> Milk cows', goats' and sheeps' milk, yoghurt, ice cream > Cheeses soft and fresh (eg. ricotta, cottage)	> Vegetables artichokes, beetroot asparagus, Brussels sprouts, cabbage, fennel, garlic, leeks, okra, onions, spring onions (white part), shallots > Cereals wheat and rye when eaten in large amounts (eg. bread, pasta, couscous, crackers, biscuits) > Fruits watermelon, custard apples, persimmons	> Legumes chickpeas, lentils, red kidney beans, baked beans	> Fruits apples, apricots, cherries, lychees, nashi, nectarines, pears, peaches, plums, prunes, watermelon > Vegetables avocados, mushrooms > Sweeteners sorbitol (420), mannitol (421), xylitol (967), maltitol (965), isomalt (953)

## ✓ SUITABLE ON A LOW-FODMAP DIET

FRUIT	VEGETABLES	MILK PRODUCTS	GRAIN FOODS	OTHERS
> Fruit bananas, grapefruit, blueberries honeydew melons, kiwifruit, lemons, limes, mandarin, oranges, pawpaw, passionfruit, tangelos, raspberries, rock- melons, strawberries, tangelos	> Vegetables bamboo shoots, bok choy, carrots, celery, capsicums, chokos, choy sum, corn, eggplant, green beans, lettuce, chives, parsnips, pumpkins, silver beet, spring onions (green part only), tomatoes > Onion/garlic substitutes garlic-infused oil	> Milk lactose-free, rice milk > Cheeses 'hard' cheeses, and brie and camembert > Yoghurt lactose-free > Ice-cream substitutes gelati, sorbet > Butter substitutes milk-free spread	> Cereals gluten-free bread/ cereal products > Bread 100% spelt bread > Rice > Corn > Oats > Polenta	> Sweeteners sugar (sucrose), glucose, artificial sweeteners not ending in '-ol' > Honey substitutes maple syrup, golden syrup